

# Schrack Integral High End Operating Panel.

Security and Precision.

## Schrack Integral High End Operating Panel. Focussing on the most important facts.



0000 0000 ACTUATIONS ALARMS FAULTS DISABLEMENTS **ZONE 2/1** 0001 ALARM Flame detector actuated. ADDITIONAL CO2-extinguisher system INFORMATION actuated. Leave area immediately. SITE INFO

It is exactly in such fiery situations that the innovative Integral High End Operating Panel, which conforms to European standards, proves its unique level of userfriendliness. Its clear structure and its intuitively comprehensible menu structure ensure that valuable time is not lost. Rapid and correct operation is ensured thanks to the clear assignment of keys, which allows complex functions to be carried out almost at ease. This allows you to also keep your cool in the event of an alarm.



#### Clear Statements.

The unique fully-graphical colour display is the heart of the Integral High End Operating Panel. All the relevant information is displayed clearly and succinctly - in almost any language in the world. Whether there is an alarm, a fault, a disablement or actuation - the intelligent system automatically displays every current state. In quickly and clearly assigning states, colour highlighting helps to assist you. The operating panel thereby suggests which courses of action to take.

#### Easy to operate.

The Integral High End Operating Panel is operated by means of multi function keys, so-called softkeys. A few key presses suffice for you to have exactly the information you require at your fingertips. Furthermore, the most important information is highlights in colour, thereby allowing at a glance recognition of what requires doing. The practical four way navigation allows you to scroll quickly and

The High End Operating Panel is available with or without a log printer as per your requirements.

of 1,200 metres from the control panel. This allows the operating panel to be installed where the information is actually required!



### Schrack Integral High End Operating Panel.



High End Operating Panel: 230 x 445 x 35 mm (H x W x D)



High End Operating Panel with Printer: 360 x 445 x 45 mm (H x W x D)

Permissible Ambient Temperature: 0° to +50°C

Colour: Red RAL 3000

#### SCHRACK SECONET AG

Headquarter Austria: A-1122 Vienna, Eibesbrunnergasse 18 • Tel.: +43-1-81157-0 • office@schrack-seconet.com Technical support Fire Alarm Systems Tel.: +43-1-81157-570 • Technical support Health Care Systems Tel.: +43-1-81157-525

Branch offices Austria:

A-6850 Dornbirn, Sebastianstraße 13a • Tel.: +43-5572-51199-0 A-8055 Graz, Neuseiersberger Straße 157 • Tel.: +43-316-407676-0 A-6021 Innsbruck, Valiergasse 56 • Tel.: +43-512-365366-0

A-9020 Klagenfurt, Feldkirchner Straße 138 • Tel.: +43-463-429362-0

A-4060 Leonding-Hart, Kornstraße 16 • Tel.: +43-732-677900-0 A-5020 Salzburg, Vogelweiderstraße 44a • Tel.: +43-662-887122-0

































Czech Rep. • CZ-100 00 Prag 10, V Úžlabině 1490/70 • Tel.: +420-2-74784422

Russia • RU-129626 Moskau, Ul. Staroalexejevskaja 5 • Tel.: +7-495-510 50 15 Slovakia • SK-83003 Bratislava 33, P.O. Box 31, Odborárska ul. 52 • Tel.: +421-2-44635595

Sweden • SE-141 75 Kungens Kurva, Månskärsvägen 9 • Tel.: +46-8-680 18 60

Hungary • HU-1119 Budapest, Fehérvári út 89-95 • Tel.: +36-1-4644300 Poland • PL-02-583 Warschau, ul. Wołoska 9 • Tel.: +48-22-3300620-23













